

Message

From: Thurmon, Clarke [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=4EE51ECF20B146D18FB2874C6B0D1B31-THURMON, CLARK]
Sent: 10/24/2019 9:29:16 PM
To: Mednick, Richard [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=51c61b3f575043fca20e08a6059c10db-Mednick, Richard]
Subject: FW: Warm Springs Capital Improvements list - looking for your input
Attachments: Capital Improvements - 2019.05.09 water sewer landfill.pdf

Richard,

I am not sure the current status of this document, but you may find it enlightening. I believe Winona W. can talk you through the origin and current status of this document.

Thanks,
Clarke

Clarke Thurmon

Assistant Regional Counsel
U.S. Environmental Protection Agency
Region 10, Office of Regional Counsel
1200 Sixth Avenue, Suite 155
M/S ORC-11-C07
Seattle, WA 98101
Desk (206) 553-2585
Fax (206) 553-1762
Thurmon.Clarke@EPA.gov

Protecting the environment is everyone's responsibility. You can help by reporting potential environmental violations. To do so, visit EPA's website at <https://www.epa.gov/enforcement/report-environmental-violations>

NOTICE: This communication may contain privileged or other confidential information. If you are not the intended recipient, or believe you have received this communication in error, please contact the sender and delete the copy you received. Do Not print, copy, retransmit, disseminate, or otherwise use the information. Unless so stated, legal arguments and opinions by the writer of this email do not represent official EPA policy. Thank you.

From: Baron, Adam <Baron.Adam@epa.gov>
Sent: Tuesday, May 28, 2019 9:57 AM
To: Martinson, Mathew J (IHS/POR) <Mathew.Martinson@ihs.gov>; Haugland, Craig J. (IHS/POR) <Craig.Haugland@ihs.gov>; Folster, Laddie (IHS/POR) <laddie.folster@ihs.gov>
Cc: Duvil, Ricardi <duvil.ricardi@epa.gov>; Contreras, Peter <Contreras.Peter@epa.gov>; Thurmon, Clarke <Thurmon.Clarke@epa.gov>; Wilson, Wenona <Wilson.Wenona@epa.gov>
Subject: Warm Springs Capital Improvements list - looking for your input

Mat/ all –

I believe you were cc'ed on this list as well. It would be helpful to know IHS's take on these needs to both 1) inform the priority list under the Order for any meeting EPA has with Warm Springs in near term, and 2) EPA/ IHSs coordination to enable a successful funding summit pre-meeting (scheduled June 3rd).

Specifically, I'm looking for input on some of the water line requests – obviously the redundant main line for Shitike Creek already on our radar – but I don't have background on others. Also, for the other PWSs, they are not on radar because generally in good compliance with SDWA. How do these needs stack up against needs at Surface Water Treatment Plant?

I always want to be mindful of IHS's trust obligation and role to tribes, but I think this level of coordination is appropriate for all parties involved.

Thanks.



Adam Baron

Drinking Water Enforcement Officer
Field, Data, & Drinking Water Enforcement Section
Enforcement and Compliance Assurance Division
U.S. Environmental Protection Agency, Region 10
1200 Sixth Avenue, Suite 155
Seattle, Washington 98101
Office (206) 553-6361
baron.adam@epa.gov

From: Martinson, Mathew J (IHS/POR) <Mathew.Martinson@ihs.gov>

Sent: Friday, May 17, 2019 12:21 PM

To: Baron, Adam <Baron.Adam@epa.gov>

Cc: Contreras, Peter <Contreras.Peter@epa.gov>; Thurmon, Clarke <Thurmon.Clarke@epa.gov>; Duvil, Ricardi <duvil.ricardi@epa.gov>; Martinez, Marcus C (IHS/POR) <Marcus.Martinez@ihs.gov>; Haugland, Craig J. (IHS/POR) <Craig.Haugland@ihs.gov>

Subject: RE: Need to set up a call on Warm Springs today...

Adam –

I've invited two people to join in from IHS. CAPT Marcus Martinez (Office of Environmental Health and Engineering Director) and CDR Craig Haugland (Port Angeles Sr. Engineer). Do you have a conf line? Or would you like me to set-up one?

I'm going to step away for a few minutes. Let me know when you'd like to meet.

Mat

CAPT Mathew J. Martinson, P.E., BCEE

Director, Division of Sanitation Facilities Construction


Portland Area Indian Health Service

1414 NW Northrup Street; Suite 800

Portland, Oregon 97209

503-414-7780 (desk)

503-734-9293 (cell)



Our Mission . . . to raise the physical, mental, social and spiritual health of American Indians and Alaska Natives to the highest level.

This e-mail and any attachments are for the intended recipient(s) only and may contain confidential material. If you are not the intended recipient (even if the e-mail address above is yours), do not use, retain, copy or disclose any part of this communication or any attachment as it is strictly prohibited and may be unlawful. If you believe you have received this e-mail in error, please notify me immediately by reply email or by telephone at 503-734-9293 or 503-414-7780 and permanently delete.

From: Baron, Adam <Baron.Adam@epa.gov>

Sent: Friday, May 17, 2019 9:22 AM

To: Martinson, Mathew J (IHS/POR) <Mathew.Martinson@ihs.gov>

Cc: Contreras, Peter <Contreras.Peter@epa.gov>; Thurmon, Clarke <Thurmon.Clarke@epa.gov>; Duvil, Ricardi <duvil.ricardi@epa.gov>

Subject: Need to set up a call on Warm Springs today...

Concerning EPA's consultation with Warm Springs on planned SDWA enforcement. The call will be with Peter Contreras and myself.

Please let me know your availability today, best contact number, and if anyone else on IHS side should be there.

Thanks and talk to you soon.



Adam Baron

Drinking Water Enforcement Officer
Field, Data, & Drinking Water Enforcement Section
Enforcement and Compliance Assurance Division
U.S. Environmental Protection Agency, Region 10
1200 Sixth Avenue, Suite 155
Seattle, Washington 98101
Office (206) 553-6361
baron.adam@epa.gov
